

HUSKY SWIVELS

INVERTED VAPOR RECOVERY SYSTEMS

Husky 4605 Swivel is compatible with most inverted vapor recovery systems.

- 360° rotation at each swivel joint.
 - Double o-rings at each swivel joint.
 - Can be installed at the nozzle or at the dispenser.
 - Stainless steel ball bearings & races allow for easy joint movement and reduces friction, thus extending the life of the swivel.
- Has 2 (two) plane rotation.
 - Exceptional flow rate and reduced back pressure.
 - Lightweight and compact.

SPECIFYING INFORMATION

| Model Number | Description | Weight lbs (kg) |
|--------------|----------------------------|-----------------|
| 4605 | Inverted M34 x 1.5" Swivel | .98 (.44) |

CONSTRUCTION

| | |
|--------------|-------------------------------------|
| Body | Zinc |
| Inlet Body | Aluminum |
| Swivel Nut | Electroless, Nickel Plated Aluminum |
| Inner O-ring | Fluorosilicone |
| Outer O-ring | Viton® (Fluorocarbon) |
| Threads | M34 x 1.5" |

PATENTS and LISTINGS


Patent Numbers: N/A

Listings:  

CARB E.O.: G-70-150-AE
G-70-153-AD
G-70-188
G-70-209-A
G-70-207-A



MADE IN THE U.S.A.



HUSKY SWIVELS

INVERTED VAPOR RECOVERY SYSTEMS

- **Dimensions**

